









## **BUILT FOR INDUSTRIAL CLEANING**

**Factory Cat's** sweepers are built to sweep factories: dirt, dust, metal shavings, foundry sand, bolts, paper, wood, whatever there is. **Factory Cats** are **compact**, not light-duty.

These machines are **all-steel**, and use oversized components throughout. At your in-plant inspection, you'll see top quality componentry, hefty fabrications, oversized motors, and nearly 100% stainless steel fasteners.

**Factory Cat's** side brooms pick up dirt in the corners. A huge tubular main broom under the machine sweeps up the dirt and debris from the floor and packs it into the steel hopper.

Meanwhile, the second stage vacuums up the dust and traps it in a polypropylene felt "baghouse" filter. *Factory Cats* can pick up whole bags of cement at a time without leaving a trace of dust behind. The filter is cleaned by an on-board mechanism, and in most cases will last the life of the machine.

**Factory Cat's** "Central Command" energy management system gives our silent, **electric** rider sweepers the power formerly available from only gasoline or propane-powered machines.

The TR is the most powerful compact battery-powered sweeper and can run a full shift on a charge.

### MAKES YOU MONEY FROM DAY ONE

Few production machines can save you as much as a *Factory Cat* sweeper. If you do not now use a power sweeper, *Model TR will* cut your labor costs for sweeping by a factor of ten or more.

These direct labor savings permit tremendous economy, even in small plants. The Model TR can sweep up to 350,000 sq. ft. in one shift, and on a single charge.

**Factory Cat** TR rider is priced much lower than you think – less than many walk-behind machines, and a fraction of the cost of most other riders.

## **SPECIALISTS NOT NEEDED**


**Factory Cats** could not be much simpler to operate. Controls are smooth and simple, and maintenance is a snap; just put the machine on charge after every shift. No oil to change, brooms to reverse, fuel to spill, tanks to exchange, valves to grind.

## **TEST SWEEP - NO COST OR OBLIGATION**

Why not have your people try cleaning your plant with a Model 34 or TR? It's free, and there's no obligation. Call us at **800-634-4060** to set up a demonstration that is convenient for you.



# HIGH PERFORMANCE CLEANING



## **BELT ACCESS**




## **BROOM ACCESS**



## **FILTER ACCESS**








## RETURN ON INVESTMENT

| TIME REQUIRED TO CLEAN |         |          |                          |  |  |
|------------------------|---------|----------|--------------------------|--|--|
| AREA<br>Sq. Ft.        | By Hand | Model TR | Monthly Labor<br>Savings |  |  |
| 50,000                 | 10 hrs  | 0.80 hrs | \$ 487.00                |  |  |
| 75,000                 | 15 hrs  | 1.25 hrs | \$1,345.00               |  |  |
| 100,000                | 20 hrs  | 1.67 hrs | \$3,587.00               |  |  |
| 250,000                | 50 hrs  | 4.10 hrs | \$9,435.00               |  |  |



## **SOLD THROUGH DEALERS**

We've built our reputation by providing the toughest, best-engineered, highest-value machines our industry can produce. We make sure that in every market in which our more than 350 distributors in 36 countries and service centers do business, they maintain a "factory" trained service department with a vested interest in our customers long-term satisfaction.

Factory Cat offers a line of cleaning equipment that includes sweepers and scrubbers, in both walk-behind and ride on models. All our models are practical, rugged machines that are sensibly priced. Your local dealer will be happy to assist you with rentals, soap, and floor sealer information. They will gladly provide service on all brands of cleaning equipment.

#### **GUARANTEED SERVICE**

We guarantee to supply you with the spare parts you need within three work days — or they're yours free. This guarantee applies only to the 48 contiguous states of the United States, at the customer's special request, and to parts that can be shipped by courier.

|   | <u> </u>   |
|---|------------|
|   | ACTORY CA/ |
| / |            |
|   |            |

Manufactured By: R.P.S. Corporation

P.O. Box 368 • Racine, WI 53401

Phone: (800) 634-4060 Fax: (866) 901-3335

www.factorvcat.com

Copyright R.P.S. Corporation 2011. All rights reserved. Since our policy is one of constant improvement, all specifications are subject to change without notice or penalty.

| Construction           Frame:         1/8" Steel         1/8" Steel           Front Wheels:         10" x 3"         (2) 14" x 4"           Rear Wheels:         5" x 2" (caster)         (2) 14" x 5"           Dimensions:         (L x W x H):         58" x 31" x 38"         64" x 37" x 55"           Weight (without batteries):         355 lbs         850 lbs           Sto lbs         1850 lbs         1850 lbs           Statery Man (length x dia):         26" x 10"         32" x 10"           10   | Model  | Walk Behind<br>34  | Rider<br>TR   |
|--|--|--|---|
| (L x W x H): 58" x 31" x 38" 64" x 37" x 55" Weight (without batteries): 355 lbs 850 lbs Weight: 450 lbs 1350 lbs  Sweeping System Sweeping Method: Direct Throw Direct Throw Broom (length x dia): 26" x 10" 32" x 10" Broom Power/Speed: 1.0 hp/400 rpm 1.0 hp/440 rpm Side Broom Size: (1) 17" (2) 17" Side Broom Power: (1) 0.3 hp (2) 0.3 hp Side Broom Speed: 65 rpm 100 rpm (variable) Hopper Capacity: 2.0 cubic ft 4.2 cubic ft  Battery System Battery Run Time: 3 to 5 hours 4 to 7 hours Charger (110v/60 Hz, auto): 25 amp 25 - 40 amp  Filtering System Filtering Material: Polymer Felt Polymer Felt Filter Rating: 1 Micron 1 Micron Size: 5,182 sq. inches 5,182 sq. inches Vacuum Rating: 250 cfm 270 cfm  Drive System Drive System Drive Power: 1.0 hp 1.0 or 1.5 hp Speed Control: 0 to 3 mph 0 to 4 mph  Productivity  Cleaning Width: 34" 46" Cleaning Rate: 30,000 ft/hr 60,568 ft/hr  General Sound Level: 70 dBA 68 dBA Standard Equipment: Low Battery Headlight, Horn, Auto Parking Brake  | Frame:<br>Front Wheels:<br>Rear Wheels:  | 10" x 3"   | (2) 14" x 4"  |
| Sweeping Method: Broom (length x dia): Broom Power/Speed: Side Broom Size: Side Broom Power: Side Broom Speed: Side Broo | (L x W x H):<br>Weight (without batteries):  | :355 lbs   | 850 lbs   |
| Battery Run Time: 3 to 5 hours 4 to 7 hours Charger (110v/60 Hz, auto): 25 amp 25 - 40 amp  Filtering System Filtering Material: Polymer Felt Polymer Felt 1 Micron 1 Micron 5;182 sq. inches 5,182 sq. inches 5,182 sq. inches Vacuum Rating: 250 cfm 270 cfm  Drive System Drive Power: 1.0 hp 1.0 or 1.5 hp 5 peed Control: 0 to 3 mph 0 to 4 mph  Productivity  Cleaning Width: 34" 46" Cleaning Rate: 30,000 ft/hr 60,568 ft/hr  General Sound Level: 70 dBA 68 dBA Standard Equipment: Low Battery Indicator Auto Parking Brake  | Sweeping Method: Broom (length x dia): Broom Power/Speed: Side Broom Size: Side Broom Power: Side Broom Speed: | 26" x 10"<br>1.0 hp/400 rpm<br>(1) 17"<br>(1) 0.3 hp<br>65 rpm | 32" x 10"<br>1.0 hp/440 rpm<br>(2) 17"<br>(2) 0.3 hp<br>100 rpm (variable)          |
| Filtering Material: Polymer Felt Polymer Felt Filter Rating: 1 Micron 1 Micron Size: 5,182 sq. inches 5,182 sq. inches Vacuum Rating: 250 cfm 270 cfm   Drive System Drive Power: 1.0 hp 1.0 or 1.5 hp Speed Control: 0 to 3 mph 0 to 4 mph  Productivity  Cleaning Width: 34" 46" Cleaning Rate: 30,000 ft/hr 60,568 ft/hr  General Sound Level: 70 dBA 68 dBA Standard Equipment: Low Battery Indicator Auto Parking Brake   | Battery Run Time:  |  |   |
| Drive Power: Speed Control:  0 to 3 mph  0 to 4 mph  Productivity  Cleaning Width: Cleaning Rate: 30,000 ft/hr  General Sound Level: To dBA Standard Equipment: Low Battery Indicator  1.0 or 1.5 hp 0 to 4 mph 46" 60,568 ft/hr 60,568 ft/hr  46BA Headlight, Horn, Auto Parking Brake  | Filtering Material:<br>Filter Rating:<br>Size:   | 1 Micron<br>5,182 sq. inches                                   | 1 Micron<br>5,182 sq. inches  |
| Cleaning Width: 34" 46" Cleaning Rate: 30,000 ft/hr 60,568 ft/hr  General Sound Level: 70 dBA 68 dBA Standard Equipment: Low Battery Indicator Auto Parking Brake  | Drive Power:   |  |   |
| Cleaning Rate: 30,000 ft/hr 60,568 ft/hr  General  Sound Level: 70 dBA 68 dBA  Standard Equipment: Low Battery Indicator Headlight, Horn, Auto Parking Brake   | Productivity   |  |   |
| Sound Level: 70 dBA 68 dBA Standard Equipment: Low Battery Indicator Auto Parking Brake  |  |  | • •   |
| Overhead Guard,<br>Battery Packs Non-  | Sound Level:   | Low Battery  | Headlight, Horn,<br>Auto Parking Brake<br>Strobe, Back-up Alarm,<br>Overhead Guard, |

#### **AUTHORIZED DISTRIBUTOR**



