

WE KNOW CLEAN™



FACTORYCAT®

34

Walk-Behind Sweeper for Quality Results


**34 INCH
WORKING WIDTH**

Made in the USA 

**HEAVY DUTY
RELIABLE CONSTRUCTION**



Baghouse Filter and Beater Bar provides unmatched particulate collection. Sweepers can pick up whole bags of cement at a time. In most cases the filter will last the lifetime of the machine.



Maintenance is a snap. There's no oil to change, brooms to reverse, fuel to spill, tanks to exchange, valves to grind. Just put the machine on charge after every shift.




All steel construction built to last even in the toughest applications. Able to withstand years of abuse.



Time is money and none gets wasted with our sweepers. Monthly labor savings reach thousands of dollars when you sweep with our 34 or TR.



High Performance motors provides an unmatched standard of cleaning.



0 point turns for no nonsense mobility. This gives the control and accuracy needed for heavy industrial cleaning without missing a spot.


No matter what you need to tackle, the Factory Cat 34 is able to handle your heavy-duty cleaning needs. Easily pick up metal shavings, foundry sand, woodchips, broken glass, paper, dirt and dust. In fact, this walk-behind sweeper can sweep up multiple bags of cement without leaving any dust behind or blowing it into the air, thanks to its polypropylene felt "baghouse" filter. Because the filter is cleaned by an on-board mechanism, it typically lasts the length of the machine.

Self-propelled, the Model 34 is easy to maneuver and operate. A tubular main broom vacuums up dirt and debris, throwing it into a steel hopper. Solidly built with high quality components, oversized motor and on board charger, the Factory Cat Model 34 is built to deliver many years of effective cleaning even in the harshest of environments.



Total Access to Components

- 1 Adjustable Handle
- 2 Broom Controls
- 3 Oversized Battery
- 4 Baghouse Filter
- 5 HD Hopper



Dustless sweeping combined with our hopper creates an unmatched sweeping experience. Easily pick up bags of cement in a single pass.

Efficient, Effective, and Driven by Results

The Factory Cat 34 is your perfect choice when it comes to professional cleaning results in mid to large areas. These machines are tailor-made for applications in areas such as:

- Fabrication Shops
- Warehouses
- Machine Shops
- Automotive Shops
- Saw Mills
- Distribution Centers
- Foundries
- Fertilizer Packaging

View Inside the Factory Cat 34 Designed with Attention to Detail


Stainless Steel Handlebar
Fully Adjustable

Self-Propelled
Operator Ease

Oversized Battery
Extends Run Time

On-Board Charger
Permits Remote Charging

Baghouse Filter
High Capacity &
Long Life



10" Diameter Main Broom
Reduces Maintenance

1/2 Ton Capacity Tire
Improved Maneuverability

Self-Adjusting Main Belts
Reduces Down Time

Large, Powerful Side Broom
Increases Productivity

900 lbs. Capacity Caster
Improved Maneuverability

Technical Data

FACTORY CAT 34 AT A GLANCE

BODY CONSTRUCTION / DIMENSIONS

Chassis Construction:	1/8" (3 mm) Powder Coated Steel
Front Wheel (Diameter x Width):	6" x 2" (15 x 5 cm) - Non-Marking Solid Grey
Rear Wheels (Diameter x Width):	(2x) 10" x 2" ((2x) 25 x 5 cm) - Non-Marking Grey
Size (L x W x H):	58" x 31" x 38" (147 x 79 x 96 cm)
Weight (w/o Batteries):	295 - 345 lbs (134 - 156 kg)
Weight (w/ Standard Batteries):	425 - 475 lbs (193 - 215 kg)

SPECIFICATION

SWEEPING SYSTEM

Sweeping Method:	Direct Throw
Broom (Diameter x Length):	10" x 26" (25 - 66 cm)
Broom Power / Speed:	1.0 hp / 400 rpm (746 watts)
Side Broom Size:	(1x) 17" (43 cm)
Side Broom Power / Speed:	0.3 hp / 65 rpm (224 watts)
Hopper Capacity:	2.0 cubic ft. (56 liters)

POWER SYSTEM

System Voltage:	12 VDC
Standard Battery: <small>*Includes Onboard Charger</small>	175 ah WET*
Optional Battery:	215 ah AGM
Run Time: <small>**Run times are based on continuous sweeping run times.</small>	Up to 5 Hours**
Charger:	120 VAC / 60 Hz Input - 12 VDC / 25 amp Output

DRIVE SYSTEM:

Power:	1.0 hp - All Gear / Sealed (746 watts)
Speed Control:	0 - 237.6 ft/min / 0 - 2.7 mph (0 - 72.4 m/min / 0 - 4.3 km/h)

FILTERING SYSTEMS:

Filtering Material:	Polymer Felt/Baghouse
Filter Rating:	1 Micron
Size:	5,192 sq. inches (3.35 sqm)
Vacuum Specs (Airflow):	250 cfm

GENERAL:

Cleaning Width:	34" (86 cm)
Decibels: <small>***Decibel levels per ISO 11201 as recommended by the American Association of Cleaning Equipment Manufacturers & OSHA</small>	61 dBA***
Productivity - Theoretical: <small>****Productivity is based off of ISSA 2010 Cleaning Times</small>	Up to 21,316 sqft (1,980 sqm)****
Productivity - Practical: <small>****Productivity is based off of ISSA 2010 Cleaning Times</small>	Up to 17,647 sqft (1,639 sqm)****

A FAMILY COMPANY SINCE 1967



WE KNOW CLEAN™



EQUIPMENT



PARTS



RENTALS



SERVICE



SUPPLIES

SWEEPERLAND.COM

Corporate Headquarters | 4713 Gettysburg Road | Mechanicsburg, PA 17055

Contact Us Today: 1-800-626-7835